JAVELIN®

Card Stacker

Large input hopper

J420 and P420




1. Unpack your stacker

Ensure the following items are also included:


T-shaped tool
Bolt
Washer
Wing-nut

2. Removing clear card cover cartridge from printer



A. Open card cartridge cover B. Carefully release cover pivots from printer Store card cartridge cover for possible later use.


3. Making adjustments to printer



Identify 2 small tabs within card feeding area.
Using the tool, bend BOTH tabs up and out as illustrated.


NB: Use tool to bend tabs to their original position if using the card cartridge cover.

4. Fixing stacker to printer





Position stacker INSIDE the metal arms. Feed long bolt through the holes. Add washer and apply wing nut. Do not over-tighten.

5. Loading cards



- A. Push slider into printer.
 While holding stacker, rotate
 support-arm away from printer
 and carefully drop stacker down.
- B. Slide open lid catch and open lid. Load cards into stacker, ensuring they lean forward, towards printer.






- C. Push cards into position and close lid.
 Slide lid catch to lock lid.
 Lift stacker into its upright position and rotate support-arm to secure.
- D. Pull slider out to its FULLY EXTENDED position.

6. Applying weight

Position the tool on top of the card stack to serve as a weight to assist the feeding of the last 30 (approx.) cards.




7. Loading cards during printing

To load cards during printing, feed a stack of about 50 cards through top of stacker.

Reposition tool (weight) onto top of cards.

To load a larger batch of cards, repeat section 5.

IMPORTANT: IF ANY CARDS REMAIN IN THE STACKER, SLIDER MUST BE PUSHED IN BEFORE ROTATING SUPPORT-ARM.





For Support in Europe, Middle East, Africa and Asia Pacific

NBS Technologies
7 Byfleet Technical Centre
Canada Road
West Byfleet
Surrey KT14 7NB
United Kingdom

Tel: +44 1932 351531 Fax: +44 1932 351382

Email: technical.support@nbstech.com.

For Support in North and South America

NBS Technologies 70 Eisenhower Drive Paramus New Jersey United States 07652

Tel: +1 201 845 7373 Fax: +1 201 845 4528

Email: ctctechsup@nbstech.com

Web: www.nbstech.com